

| L Number | Hits  | Search Text  | DB  | Time stamp       |
|----------|-------|--|---|------------------|
| 1        | 514   | (code! OR codes! OR bytecode\$2) NEAR10<br>(duplicat\$5 OR repeat\$4 OR repetition\$2)<br>NEAR10 (structure\$2 OR element\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 13:46 |
| 2        | 56904 | (index\$5 OR list\$2 OR listing\$2) NEAR20<br>(id! OR identifier\$2 OR reference\$2)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 13:53 |
| 3        | 64    | ((code! OR codes! OR bytecode\$2) NEAR10<br>(duplicat\$5 OR repeat\$4 OR repetition\$2)<br>NEAR10 (structure\$2 OR element\$2)) AND<br>((index\$5 OR list\$2 OR listing\$2) NEAR20<br>(id! OR identifier\$2 OR reference\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 13:53 |
| 4        | 47    | ((code! OR codes! OR bytecode\$2) NEAR10<br>(duplicat\$5 OR repeat\$4 OR repetition\$2)<br>NEAR10 (structure\$2 OR element\$2)) AND<br>((index\$5 OR list\$2 OR listing\$2) NEAR20<br>(id! OR identifier\$2 OR reference\$2))) NOT<br>@AD>19971001   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 13:54 |
| 5        | 32    | ((code! OR codes! OR bytecode\$2) NEAR10<br>(duplicat\$5 OR repeat\$4 OR repetition\$2)<br>NEAR10 (structure\$2 OR element\$2)) AND<br>((index\$5 OR list\$2 OR listing\$2) NEAR20<br>(id! OR identifier\$2 OR reference\$2))) AND<br>(compress\$6 OR compact\$6 OR concentrat\$6)<br>NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 14:04 |
| 6        | 24    | ((code! OR codes! OR bytecode\$2) NEAR10<br>(duplicat\$5 OR repeat\$4 OR repetition\$2)<br>NEAR10 (structure\$2 OR element\$2)) SAME<br>(compress\$6 OR compact\$6 OR concentrat\$6))<br>NOT @AD>19971001  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 14:05 |

| L Number | Hits  | Search Text  | DB  | Time stamp       |
|----------|-------|--|---|------------------|
| 1        | 6031  | (code! OR codes! OR bytecode\$2) NEAR2 compress\$5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:58 |
| 2        | 119   | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:07 |
| 3        | 2     | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2 SAME duplicat\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:07 |
| 4        | 7228  | (code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:11 |
| 5        | 22227 | (eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:13 |
| 6        | 514   | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:14 |
| 7        | 7     | ((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:14 |
| 8        | 685   | (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:44 |
| 9        | 29    | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:16 |
| 10       | 35    | ((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:21 |
| 11       | 2     | 6275824.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:27 |
| 12       | 31    | ((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))) NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:08 |
| 13       | 30    | (compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:45 |

|    |       |   |   |                  |
|----|-------|---|---|------------------|
| 14 | 22    | ((compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))) NOT @AD>19971001   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:53 |
| 15 | 695   | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:02 |
| 16 | 6     | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND (((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:54 |
| 17 | 36821 | (code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:57 |
| 18 | 487   | ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:00 |
| 19 | 6     | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2) AND (((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5))                             | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:06 |
| 20 | 89    | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (list\$2 OR array\$2 OR index\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:07 |
| 21 | 291   | ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5) AND (list\$2 OR array\$2 OR index\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:07 |
| 22 | 20    | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5)                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:07 |
| 23 | 17    | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5) NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 17:04 |
| 24 | 3     | 5764989.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:36 |
| 25 | 16    | (overrid\$5 OR overwrit\$4) NEAR20 (software!) NEAR20 version\$6  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:40 |

|    |      |   |   |                  |
|----|------|---|---|------------------|
| 26 | 21   | ((inadverten\$4 OR accidental\$3) NEAR10 (upgrad\$4 OR replac\$6 OR updat\$5) NEAR10 (program\$2 OR software!))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:43 |
| 27 | 20   | ((inadverten\$4 OR accidental\$3) NEAR10 (upgrad\$4 OR replac\$6 OR updat\$5) NEAR10 (program\$2 OR software!)) NOT @AD>19990430  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:44 |
| 28 | 25   | ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (segment\$2 OR part! OR structure\$2) NEAR5 (id! OR identifier\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:52 |
| 29 | 18   | ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (segment\$2 OR part! OR structure\$2) NEAR5 (id! OR identifier\$2)) NOT @AD>19971001  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:58 |
| 30 | 34   | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:57 |
| 31 | 25   | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2))) AND (index\$5 OR array\$2 OR list\$2)                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:57 |
| 32 | 20   | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2))) AND (index\$5 OR array\$2 OR list\$2)) NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 17:03 |
| 33 | 2892 | reference! ADJ2 list\$2   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 17:03 |
| 34 | 20   | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND (reference! ADJ2 list\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 17:03 |
| 35 | 18   | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND (reference! ADJ2 list\$2)) NOT @AD>19971001  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 17:08 |
| 36 | 57   | ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) SAME (index\$5 vOR array\$2 OR referenc\$5 OR mapp\$4)                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 17:09 |
| 37 | 57   | ((code! OR codes! OR bytecode\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) SAME (index\$5 OR array\$2 OR referenc\$5 OR mapp\$4)                                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 17:09 |

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 6031  | (code! OR codes! OR bytecode\$2) NEAR2 compress\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:58 |
| 2        | 119   | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:07 |
| 3        | 2     | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) SAME array\$2 SAME duplicat\$5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:07 |
| 4        | 7228  | (code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:11 |
| 5        | 22227 | (eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:13 |
| 6        | 514   | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:14 |
| 7        | 7     | ((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) NEAR20 structure\$2                                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:14 |
| 8        | 685   | (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:44 |
| 9        | 29    | ((code! OR codes! OR bytecode\$2) NEAR2 compress\$5) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:16 |
| 10       | 35    | ((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:21 |
| 11       | 2     | 6275824.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:27 |
| 12       | 31    | ((code! OR codes! OR bytecode\$2) NEAR2 (compact\$6 OR concentrat\$5 OR compress\$5)) AND ((code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)))) NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:08 |
| 13       | 30    | (compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecode\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:45 |

|    |       |   |   |                  |
|----|-------|---|---|------------------|
| 14 | 22    | ((compress\$5 OR compact\$5) SAME (code! OR codes! OR bytecodes\$2) SAME ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2))) NOT @AD>19971001  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:53 |
| 15 | 695   | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:02 |
| 16 | 6     | ((code! OR codes! OR bytecodes\$2) NEAR2 compress\$5) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:54 |
| 17 | 36821 | (code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 15:57 |
| 18 | 487   | ((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:00 |
| 19 | 6     | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) SAME (list\$2 OR array\$2) AND (((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5))                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:06 |
| 20 | 89    | ((code! OR codes! OR bytecodes\$2) NEAR2 compress\$5) AND ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (list\$2 OR array\$2 OR index\$5)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:07 |
| 21 | 291   | ((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:07 |
| 22 | 20    | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND ((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5)                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:07 |
| 23 | 17    | ((eliminat\$5 OR reduc\$5 OR avoid\$5) NEAR2 (duplicat\$6 OR repeat\$5 OR repetition\$2)) AND (((code! OR codes! OR bytecodes\$2) NEAR2 (source! OR computer! OR software! OR byte\$2)) NEAR5 (compact\$6 OR condens\$6 OR concentrat\$6 OR compress\$5)) AND (list\$2 OR array\$2 OR index\$5)) NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:30 |
| 24 | 3     | 5764989.pn.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 16:30 |

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 12032 | (compress\$6 OR compact\$6) NEAR5 (code! OR codes! OR bytecode\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:34 |
| 2        | 6958  | (compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:35 |
| 3        | 1     | ((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) SAME duplicat\$6 SAME (element\$2 OR (data! ADJ2 structure\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:37 |
| 4        | 75    | (code! OR codes! OR bytecode\$2) NEAR20 duplicat\$6 NEAR20 (element\$2 OR (data! ADJ2 structure\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:39 |
| 5        | 736   | (code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:48 |
| 6        | 49    | ((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:43 |
| 7        | 39    | ((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))) NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:44 |
| 8        | 11    | ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))) SAME index\$5  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:51 |
| 9        | 152   | ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))) AND index\$5   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:51 |

| L Number | Hits  | Search Text   | DB  | Time stamp       |
|----------|-------|---|---|------------------|
| 1        | 12032 | (compress\$6 OR compact\$6) NEAR5 (code! OR codes! OR bytecode\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:34 |
| 2        | 6958  | (compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:35 |
| 3        | 1     | ((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) SAME duplicat\$6 SAME (element\$2 OR (data! ADJ2 structure\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:37 |
| 4        | 75    | (code! OR codes! OR bytecode\$2) NEAR20 duplicat\$6 NEAR20 (element\$2 OR (data! ADJ2 structure\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:39 |
| 5        | 736   | (code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:43 |
| 6        | 49    | ((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:43 |
| 7        | 39    | ((compress\$6 OR compact\$6) NEAR2 (code! OR codes! OR bytecode\$2)) AND ((code! OR codes! OR bytecode\$2) NEAR20 (redundan\$4 OR repeat\$4 OR repetition\$2 OR duplicat\$6 ) NEAR20 (element\$2 OR (data! ADJ2 structure\$2)))) NOT @AD>19971001 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 10:44 |



[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) [Publications/Services](#) [Standards](#) [Conferences](#) [Careers/Jobs](#)**IEEE Xplore™**  
RELEASE 1.3[Help](#) [FAQ](#) [Terms](#) [IEEE Peer](#) [Quick Links](#)[Review](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account

 [Print Format](#)Your search matched **[0]** of **[756407]** documents.

You may refine your search by editing the current search expression or entering a new one the text box. Then click search Again.

**OR**

Use your browser's back button to return to your original search page.

**Results:**

No documents matched your query.

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2002 IEEE — All rights reserved

[> home](#) [> about](#) [> feedback](#) [> logout](#)

US Patent &amp; Trademark

## Advanced Search

Enter words or phrases separated by commas.

All words include stemmed variations unless they are enclosed in "double quotes".

Use only lower case, unless case sensitivity is required.

All items entered will be used as the search criteria. (AND)

Desired Results:

N

must have all of the words or phrases

must have any of the words or phrases

must have none of the words or phrases

Only search in:

☐ Title ☐ Abstract ☐ Review

\*Searches will be performed on all available information, including full text where available, unless specified above.

ISBN / ISSN: ☒ Exact ☐ Expand

D

Published:

C

By: ☒ any ☐ all ☐ none

S

In: ☒ any ☐ all ☐ none

C

Since:

C

Month  Year

Before:

| L Number | Hits | Search Text                                       | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 1        | 138  | ross-richard\$.in.                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 09:24 |
| 2        | 2    | ross-richard\$.in. AND compress\$6 AND<br>code\$2 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/03/21 09:25 |